WeatherBond Polyiso XFP Insulation

Recycled Content (Calculated by Weight)

Product Thickness	Total % Wt Recycled	% Weight Recycled (Post-Consumer)	% Weight Recycled (Pre-Consumer)
0.5 HD	8.2%	0.0%	8.2%
0.5	4.5%	0.0%	4.5%
1.0	6.8%	0.0%	6.8%
1.1	7.1%	0.0%	7.1%
1.2	7.4%	0.0%	7.4%
1.3	7.7%	0.0%	7.7%
1.4	7.9%	0.0%	7.9%
1.5	8.1%	0.0%	8.1%
1.6	8.4%	0.0%	8.4%
1.7	8.6%	0.0%	8.6%
1.8	8.7%	0.0%	8.7%
1.9	8.9%	0.0%	8.9%
2.0	9.1%	0.0%	9.1%
2.1	9.2%	0.0%	9.2%
2.2	9.4%	0.0%	9.4%
2.3	9.5%	0.0%	9.5%
2.4	9.6%	0.0%	9.6%
2.5	9.8%	0.0%	9.8%
2.6	9.9%	0.0%	9.9%
2.7	10.0%	0.0%	10.0%
2.8	10.1%	0.0%	10.1%
2.9	10.2%	0.0%	10.2%
3.0	10.3%	0.0%	10.3%
3.1	10.3%	0.0%	10.3%
3.2	10.4%	0.0%	10.4%
3.3	10.5%	0.0%	10.5%
3.4	10.6%	0.0%	10.6%
3.5	10.7%	0.0%	10.7%
3.6	10.7%	0.0%	10.7%
3.7	10.8%	0.0%	10.8%
3.8	10.9%	0.0%	10.9%
3.9	10.9%	0.0%	10.9%
4.0	11.0%	0.0%	11.0%
4.1	11.0%	0.0%	11.0%
4.2	11.1%	0.0%	11.1%
4.3	11.1%	0.0%	11.1%
4.4	11.2%	0.0%	11.2%
4.5	11.2%	0.0%	11.2%



Post-Consumer Recycled Content is consumer waste that has become a raw material (feedstock) for another product (e.g.; glass, plastic, aluminum cans, etc.)

Pre-Consumer (Formally Known as Post-Industrial Recycled

Content) is output from a process that has not been used as part of a consumer product, that is sold, traded or exchanged under commercial terms as feedstock for another industrial process, and that would have otherwise be landfilled, incinerated or somehow disposed of as a waste.



Single-Ply Simplified

P.O. Box 251 | Plainfield, PA 17081 | 866.471.5125 | FAX: 717.960.4034 | www.weatherbondroofing.com © 2024 WeatherBond. 01.11.24 WB-15499 - "XFP Polyiso Recycled Content Sheet"